INDIVIDUAL PROPERTY/DISTRICT MARYLAND HISTORICAL TRUST INTERNAL NR-ELIGIBILITY REVIEW FORM

Property/District Name: <u>Hard Bargain Farm</u>	Survey Number: PG 83-2
Project: <u>Woodrow Wilson Bridge</u>	Agency: <u>FHWA</u>
Site visit by MHT Staff: no _X yes Name _Orlando Rid	lout V Date 1984
Eligibility recommended <u>X</u> Eligibility not recomme	ended
Criteria:A X_B X_CD Considerations:AB	CDEFGNone
Justification for decision: (Use continuation sheet if nec	cessary and attach map)
The property is located within the listed Piscataway Park Register under Criterion A for its role in maintaining the the available information, this property appears to independ for its association with Alice L. L. Ferguson, who with excavated the Accokeek Creek Site in the 1930s and 1940 understanding of the Native-American culture of Maryland's appears to be eligible under Criterion C. The heavy timber constructed circa 1830-1850 and rebuilt in the post-Civil W construction features and is one of several significant through the mid-20th century which compose the farmstead.	vista from Mt. Vernon. Based on ndently eligible under Criterion her husband, Henry G. Ferguson, Os, advancing significantly our Western Shore. In addition, it r frame tobacco barn, originally Mar period, exhibits some unusual
lease note that the National Park Service is responsible facts properties in accordance with Section 110 of the Nation 1966 and has not yet done so for this property. The above views of this office only.	nal Historic Preservation Act of
Documentation on the property/district is presented in: Pro-	ject File, Maryland Inventory
Form PG 83-2	
Prepared by: Parsons Engineering Science (1996), Orlando Ri	dout V (1984)
Reviewer, Office of Preservation Services NR program concurrence: V yes no not applicable for the concurrence of the con	Date 1e 1
Ä	

Survey	No.	PG 83-2

MARYLAND COMPREHENSIVE HISTORIC PRESERVATION PLAN DATA - HISTORIC CONTEXT

I.	Geographic Region:				
X	Eastern Shore Western Shore	<pre>(all Eastern Shore counties, and Cecil) (Anne Arundel, Calvert, Charles, Prince George's and St. Mary's)</pre>			
	Piedmont	(Baltimore City, Baltimore, Carroll, Frederick, Harford, Howard, Montgomery) (Allegany, Garrett and Washington)			
	Western Maryland				
II.	Chronological/Developmental Pe	riods:			
	Paleo-Indian Early Archaic Middle Archaic Late Archaic Early Woodland Middle Woodland Late Woodland/Archaic Contact and Settlement Rural Agrarian Intensification Agricultural-Industrial Transi Industrial/Urban Dominance Modern Period Unknown Period (prehisto	A.D. 1815-1870 A.D. 1870-1930 A.D. 1930-Present			
III.	Prehistoric Period Themes:	IV. Historic Period Themes:			
	Subsistence Settlement Political Demographic Religion Technology Environmental Adaption	Agriculture X Architecture, Landscape Architecture, and Community Planning Economic (Commercial and Industrial) Government/Law Military Religion X Social/Educational/Cultural Transportation			
V. R	esource Type:				
	Category: <u>Buildings, Struct</u>	ures			
	Historic Environment: Rur	al			
	Historic Function(s) and Use(s): _Domestic - single dwelling, Agricultural-			
	storage, outbuilding, anima	l facility			
	Known Design Source:				

Survey No. Prince George County - 83-2 Magi No.

Maryland Historical Trust State Historic Sites Inventory Form

DOE __yes __no

1. Nam	le (indicate pr	referred name)		
historic				
and/or common	Hard Bargain I	Farm, Ferguson Fa		
2. Loca	ation	raim, rejguson ra	1.17111	
street & number	North eddo Pr	yan Point Road		not for publication
city, town	Acco Keek	_x_ vicinity of	congressional distric	
state	Maryland	county	Prince George	's County
3. Clas	sification			
Category district _X_ building(s) structure site object	Ownership public private both Public Acquisition in process being considered not_applicable	Status X occupied unoccupied work in progress Accessible yes: restricted yes: unrestricted no	Present Use x agriculture commercial definition entertainment government industrial military	museum park private residence religious X scientific transportation other:
4. Own	er of Prope	rty (give names a	nd mailing addres	ses of <u>all</u> owners)
name A1:	ice Ferguson Fou	ındation		
street & number	Hard Barga	in Farm	telephone	no.:
city, town	Acco Keek,	state	and zip code	Maryland 20607
5. Loca	ation of Leg	al Description	on	
courthouse, regi	stry of deeds, etc.	Prince George	's County Cour ho	t- liber use folio
city, town	Uppe	r Marlboro	state	Maryland
6. Rep	resentation	in Existing	Historical Sur	rveys
title				
date			federal s	tate county local
pository for su	urvey records			
city, town			state	•
_			- · ·	

7. Description

Survey No. PG - 83-2

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

Note: The following description of the tobacco barn at Hard Bargain Farm was prepared by Orlando Ridout V in response to a request from Mr. Elmer S. Biles, President of the Alice Ferguson Foundation, Inc. The request was made as part of an effort to review and consider possible plans for the repair and use of this building as an educational exhibit. Correspondence and recommendations regarding the building are on file in the vertical file archives of the Maryland Historical Trust.

The tobacco barn is only one of several significant historic sites and features at Hard Bargain Farm. These have not been surveyed in detail at this time.

Description: Tobacco Barn

The tobacco barn at Hard Bargain Farm is located on a relatively flat stretch of cultivated land lying between two marshes that drain into the Potomac River just below Piscataway Creek. The barn is oriented on an east-west axis with the north facade facing the river.

The barn measures 32 feet long and 24 feet deep, and has been enlarged by the addition of an L-plan shed that extends 12 feet deep across the south facade and the east gable end of the building.

The main barn structure is of hewn and pit-sawn heavy timber construction. The basic frame in its present condition appears to date to circa 1860-90, but appears to be extensively rebuilt utilizing an earlier frame of circa 1830s-40s. The lean-to sheds are 20th century additions but may have replaced earlier sheds. The north wall of the barn was extensively rebuilt and repaired in the mid-1970s.

The exterior of the barn is covered with horizontal siding on the gable ends and vertical siding on the sheds and the rebuilt north facade. Early flush bevel-edge siding secured with machine-made nails survives on both gable ends, with 20th century plain horizontal board siding mixed in. The south wall, now protected by the south shed, was originally framed with

(Continued on White Sheet)

<u>8. S</u>	ign	ifica	ance						Survey	No.	ΡG	83-2
Period preh 1400 1500 1600 1700 1800 1900)—1499)—1599)—1699)—1799)—1899	——————————————————————————————————————	of Significance cheology-prehistoric riculture chitecture t mmerce mmunications	oric _ - - - - -	co ecc ed en ex inc	mmunit nservat onomics ucation gineerir	y plannin ion s	ng nent	law literature military music philosop			_ religion _ science _ sculpture _ social/ humanitarian _ theater _ transportation _ other (specify)
Specific	dates			E	Builde	r/Archi	tect					
check:	ar	nd/or	Criteria: _ Exception:					E	F(}		
	Leve1	l of S	ignificance:	n	ation	na1 _	_state		local			
Prepare		a summ	mary paragrap	h of	sign	nifica	ince an	da	general s	statement	of]	history and

8 Significance

support.

In general form and appearance, this is a typical example of a heavy timber frame tobacco barn of the post-Civil War period. On closer examination, a number of features become evident that are considerably less common. The overall size of 24 feet by 32 feet is consistent with the four-foot common denominator generally utilized for tobacco barns but the barn is unusually deep in relation to its length. The interior framing system is the most unusual feature. Originally constructed circa 1830-50, the barn was extensively rebuilt in the post-Civil War period. The gable ends and roof were disassembled and rebuilt using the same materials and the facade walls were altered from a post-and-stud system sheathed with horizontal siding to a post-and-rail system sheathed with vertical siding. The spacing of the original posts and studs does not conform to any previously recorded system, and offers few clues to the underlying rationale.

10. Ge	ographical Dat	a	
Quadrangle nam	nated property ne do NOT complete UTM re		Quadrangle scale
Zone Easti		B Zone	Easting Northing
C		D F J H	
	ry description and justificati		
List all states	and counties for properties o	overlapping state or c	county boundaries
state	code	county	code
11. For	Orlando Ridout V =		Survey Coordinator
organization	Maryland Historic	m	Field Notebook MD-10; date Recorded March 13, 1984
street & number	Shaw House, 21 Sta	te Circle	telephone 301-269-2438
city or town	Annapolis		state Maryland 21401

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust

Shaw House

21 State Circle

Annapolis, Maryland 21401

(301) 269-2438

7. Description: Tobacco Barn (Continued) #1

vertical studs to accommodate horizontal siding. This entire wall was evidently rebuilt and the vertical studs were replaced with horizontal rails. Vertical siding secured with wire nails remains on the east portion of this wall.

The interior is laid out to form eight four-foot rooms. The principal posts are on eight-foot centers and the tie beams and rafters are on four-foot centers. Unfinished round poles of about six-inch diameter are placed vertically on four-foot centers down the center of the barn, in line with the ridge-line. These are lapped and nailed to the tie beams at the top and rest on or slightly in the ground at the bottom.

Lighter horizontal poles averaging four inches in diameter remain in place, serving as tier poles. These rest on horizontal rails mortised into the principal posts of each facade wall, and are supported in the center of the barn by heavy wood pins driven into the heavy vertical six-inch poles that run down the center of the barn. Rough scantling, averaging one inch thick and $2\frac{1}{2}$ to $3\frac{1}{2}$ inches wide, has been nailed to the interior face of the gable end framing to serve as tier poles at each end of the barn. These boards show evidence of having previously served as roof nailers. This evidence includes the overall size of the material, the numerous nails and the nail holes that serve no purpose in the present position, and the evenly spaced notches in the thicker boards that conform with the four-foot rafter spacing. These notches allowed the thicker nailers to lie flush in an even plane to insure a secure roof.

The gable ends of the barn are framed with hewn and pit sawn studs regularly spaced at two-foot intervals. Large mortises and trunnel holes indicate that there were originally two intermediate posts dividing each gable wall into three eight-foot bays. These two intermediate posts may have served to frame doors in each gable end, but gable openings were more commonly only four feet wide. The surviving evidence suggests that the gable ends were also reworked in the circa 1860-90 renovation. The early studs were pulled out and turned around and the intermediate posts were replaced with smaller studs. A small door measuring approximately four feet wide and five feet high was framed in, and the barn was re-sided. Nails and nail holes on the interior face of the gable studs are the principal evidence for this change. The surviving nails appear to be a mix of both early and fully mature machine-made nails suggesting the original period of construction occurred circa 1830s-1840s.

Numerous other details serve as evidence of an extensive rebuilding in the post-Civil War period. All of the early posts and intermediate posts have a wide variety of mortises and half-lap joints that were clearly used and became obsolete when the barn was rebuilt. The top plate on the south wall has mortises for two intermediate posts and 14 studs that have been eliminated.

7. <u>Description</u>: <u>Tobacco Barn</u> (Continued) #2

It is curious to note that these studs do not conform to the standard two-foot centers found in the gable walls, and that while the two missing intermediate posts appear to have served to frame a door, the door was significantly out of center and did not align with the four-foot room system or an eight-foot framing system. A rational explanation of this dual framing plan is not readily apparent.

The roof has also been rebuilt. The present roof is constructed of common rafter pairs set on four-foot centers, supported by a flat false plate, joined at the ridge with a simple nailed mitre joint, and by two sets of collar beams. The mitred ridge connection is not common in traditional heavy timber framing, and three sets of empty half-lap joints for an earlier triple-tier collar system are further evidence that the roof has been rebuilt. The rafters in the west gable wall have even been turned upside down, leaving collar joints exposed at unusable angles and positions.

In the 20th century the early, narrow shingle nailers were pulled up and were reused in combination with stock board planks to sheath the roof to support roll tarpaper roofing.

















